# **Histone H4 Rabbit Polyclonal Antibody**



#### **CAB7157**

#### **Product Information**

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

11kDa

Calculated MW:

11kDa

**Applications:** 

WB IF

Reactivity:

Human, Mouse, Rat, Other (Wide Range)

### **Protein Background**

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H4 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is found in a histone cluster on chromosome 1. This gene is one of four histone genes in the cluster that are duplicated; this record represents the telomeric copy.

## Immunogen information

Gene ID:

554313

Uniprot P62805

## **Antibody Information**

#### **Recommended dilutions:**

WB 1:500 - 1:2000 IF 1:50 -1:100

Source:

Rabbit

Isotype:

IgG

Immunogen:

Synonyms:

Recombinant fusion protein containing a sequence corresponding to amino acids 1-103 of human HIST2H4B (NP\_001029249.1).

HIST2H4B; H4/o; histone H4; Histone H4; HIST1H4A

Storage:


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%


sodium azide, 50% glycerol, pH7.3.


**Purification:** 

Affinity purification

## **Product Images**







Immunofluorescence analysis of MCF7 cells using Histone H4 antibody (CAB7157). Blue: DAPI for nuclear staining.