## **OX40 Rabbit Polyclonal Antibody**



## **CAB7499**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

37kDa

29kDa

**Calculated MW:** 

Applications:

WB

Reactivity:

Human, Mouse, Rat

**Protein Background** 

The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor has been shown to activate NF-kappaB through its interaction with adaptor proteins TRAF2 and TRAF5. Knockout studies in mice suggested that this receptor promotes the expression of apoptosis inhibitors BCL2 and BCL2IL1/BCL2-XL, and thus suppresses apoptosis. The knockout studies also suggested the roles of this receptor in CD4+ T cell response, as well as in T cell-dependent B cell proliferation and differentiation.

Immunogen information

**Gene ID:** 7293

Uniprot P43489

**Synonyms:** 

TNFRSF4; ACT35; CD134; IMD16; OX40; TXGP1L

**Antibody Information** 

**Recommended dilutions:** 

WB 1:500 - 1:2000

Immunogen:

Recombinant fusion protein containing a sequence corresponding

to amino acids 29-214 of human OX40 (NP\_003318.1).

Source:

Rabbit

Storage:

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%


**Isotype:** sodium azide, 50% glycerol, pH7.3.

IgG

**Purification:** 

Affinity purification

## **Product Images**



Western blot analysis of extracts of various cell lines, using OX40 antibody (CAB7499) at 1:1000 dilution.\_Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution.\_Lysates/proteins: 25ug per lane.\_Blocking buffer: 3% nonfat dry milk in TBST.\_Detection: ECL Enhanced Kit (CABM00021).\_Exposure time: 30s.