
Product Information

Product SKU:	CAB7521	Gene ID:	3815	Size:	20uL, 100uL
Clone No:	-	Host Species:	Rabbit	Reactivity:	Human,Mouse,Rat

Additional Information

Observed MW:	120kDa/145kDa	Conjugate:	Unconjugated
Calculated MW:	110kDa	Isotype:	IgG

Immunogen Information

Background: This gene encodes a receptor tyrosine kinase. This gene was initially identified as a homolog of the feline sarcoma viral oncogene v-kit and is often referred to as proto-oncogene c-Kit. The canonical form of this glycosylated transmembrane protein has an N-terminal extracellular region with five immunoglobulin-like domains, a transmembrane region, and an intracellular tyrosine kinase domain at the C-terminus. Upon activation by its cytokine ligand, stem cell factor (SCF), this protein phosphorylates multiple intracellular proteins that play a role in in the proliferation, differentiation, migration and apoptosis of many cell types and thereby plays an important role in hematopoiesis, stem cell maintenance, gametogenesis, melanogenesis, and in mast cell development, migration and function. This protein can be a membrane-bound or soluble protein. Mutations in this gene are associated with gastrointestinal stromal tumors, mast cell disease, acute myelogenous leukemia, and piebaldism. Multiple transcript variants encoding different isoforms have been found for this gene.

Recommended Dilution: WB,1:1000 - 1:5000

Synonyms: PBT; SCFR; C-Kit; CD117; MASTC; CD117/c-Kit

Purification Method: Affinity purification

Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 867-976 of human CD117/c-Kit (NP_000213.1).

Storage: Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.