

# BAF250 Rabbit Polyclonal Antibody



CAB7607

## Product Information

### Size:

20uL, 50uL, 100uL, 200uL

### Observed MW:

### Calculated MW:

206kDa/218kDa/242kDa

### Applications:

IF

### Reactivity:

Human, Mouse, Rat

## Antibody Information

### Recommended dilutions:

IF 1:50 - 1:100

### Source:

Rabbit

### Isotype:

IgG

### Purification:

Affinity purification

## Protein Background

This gene encodes a member of the SWI/SNF family, whose members have helicase and ATPase activities and are thought to regulate transcription of certain genes by altering the chromatin structure around those genes. The encoded protein is part of the large ATP-dependent chromatin remodeling complex SNF/SWI, which is required for transcriptional activation of genes normally repressed by chromatin. It possesses at least two conserved domains that could be important for its function. First, it has a DNA-binding domain that can specifically bind an AT-rich DNA sequence known to be recognized by a SNF/SWI complex at the beta-globin locus. Second, the C-terminus of the protein can stimulate glucocorticoid receptor-dependent transcriptional activation. It is thought that the protein encoded by this gene confers specificity to the SNF/SWI complex and may recruit the complex to its targets through either protein-DNA or protein-protein interactions. Two transcript variants encoding different isoforms have been found for this gene.

## Immunogen information

### Gene ID:

93760

### Uniprot

### Synonyms:

ARID1A; B120; BAF250; BAF250a; BM029; C1orf4; CSS2; ELD; MRD14; OSA1; P270; SMARCF1; hELD; hOSA1

### Immunogen:


A synthetic peptide corresponding to a sequence within amino acids 1300-1400 of mouse BAF250 (NP\_001074288.1).

### Storage:

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

## Product Images

---



Immunofluorescence analysis of A549 cells using ARID1A antibody (CAB7607).