
HARS Rabbit Polyclonal Antibody

CAB7899



roduct Information	Protein Background		
Size: 20uL, 50uL, 100uL, 200uL Observed MW:	Aminoacyl-tRNA synthetases are a class of enzymes that charge tRNAs with their cognate amino acids. The protein encoded by this gene is a cytoplasmic enzyme which belongs to the class II family of aminoacyl-tRNA synthetases. The enzyme is responsible for the synthesis of histidyl-transfer RNA, which is essential for the incorporation of histidine into proteins. The gene is located in a head-to-head orientation with HARSL on chromosome five, where the		
		57kDa	homologous genes share a bidirectional promoter. The gene product is a frequent target o autoantibodies in the human autoimmune disease polymyositis/dermatomyositis. Severa
		Calculated MW:	transcript variants encoding different isoforms have been found for this gene.
50kDa/52kDa/54kDa/57kDa	Immunogen information		
Applications:	Gene ID:		
WB	3035		
Reactivity:	Uniprot		
Human, Mouse	P12081		
	Synonyms:		
Antibody Information	HARS; CMT2W; HRS; USH3B		
Recommended dilutions: WB 1:500 - 1:2000			
	Immunogen:		
Source: Rabbit	Recombinant fusion protein containing a sequence corresponding to amino acids 1-180 of human HARS (NP_002100.2).		
lsotype:	Storage:		
lgG	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.		

Purification: Affinity purification



Western blot analysis of extracts of various cell lines, using HARS antibody (CAB7899) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 30s.