## **MYO10 Rabbit Polyclonal Antibody**



## **CAB8439**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

270kDa

**Calculated MW:** 

11kDa/163kDa/237kDa

**Applications:** 

**WB IHC** 

Reactivity:

Human, Mouse, Rat

**Protein Background** 

This gene encodes a member of the myosin superfamily. The protein represents an unconventional myosin; it should not be confused with the conventional non-muscle myosin-10 (MYH10). Unconventional myosins contain the basic domains of conventional myosins and are further distinguished from class members by their tail domains. This gene functions as an actin-based molecular motor and plays a role in integration of F-actin and microtubule cytoskeletons during meiosis.

Immunogen information

Gene ID:

4651

**Uniprot** Q9HD67

Synonyms:

MYO10; myosin X

**Antibody Information** 

Recommended dilutions:

WB 1:500 - 1:2000 IHC 1:50

- 1:200

Source:

Rabbit

Isotype:

lgG

Immunogen:

Recombinant fusion protein containing a sequence corresponding to amino acids 845-944 of human MYO10 (NP\_036466.2).

Storage:


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.


**Purification:** 

Affinity purification

## **Product Images**



Western blot analysis of extracts of various cell lines, using MYO10 antibody (CAB8439) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (CABM00021). Exposure time: 90s.



Immunohistochemistry of paraffin-embedded rat heart using MYO10 antibody (CAB8439) (40x lens).