## **RNF34 Rabbit Polyclonal Antibody**



## **CAB8517**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

42kDa

Calculated MW:

41kDa

**Applications:** 

WB

Reactivity:

Human

Rabbit

**Protein Background** 

The protein encoded by this gene contains a RINF finger, a motif known to be involved in protein-protein and protein-DNA interactions. This protein interacts with DNAJA3/hTid-1, which is a DnaJ protein reported to function as a modulator of apoptosis. Overexpression of this gene in Hela cells was shown to confer the resistance to TNF-alpha induced apoptosis, suggesting an anti-apoptotic function of this protein. This protein can be cleaved by caspase-3 during the induction of apoptosis. This protein also targets p53 and phospho-p53 for degradation. Alternatively splicing results in multiple transcript variants encoding distinct isoforms.

Immunogen information

Gene ID: 80196

Uniprot

Q969K3

Synonyms: RNF34; CARP-1; CARP1; RFI; RIF; RIFF; hRFI

**Antibody Information** 

**Recommended dilutions:** 

WB 1:500 - 1:2000

Immunogen:

Recombinant fusion protein containing a sequence corresponding Source:

to amino acids 1-220 of human RNF34 (NP\_079402.2).

Storage: Isotype:


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% IgG

sodium azide, 50% glycerol, pH7.3.

**Purification:** 

Affinity purification

## **Product Images**



Western blot analysis of extracts of various cell lines, using RNF34 antibody (CAB8517) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 90s.