
CDKN2C/p18-INK4C Rabbit Monoclonal Antibody

CAB8751



| roduct Information | Protein Background |
|---|--|
| Size: | The protein encoded by this gene is a member of the INK4 family of cyclin-dependent kinase |
| 20uL, 50uL, 100uL, 200uL | inhibitors. This protein has been shown to interact with CDK4 or CDK6, and prevent the activation of the CDK kinases, thus function as a cell growth regulator that controls cell cycle |
| Observed MW: | G1 progression. Ectopic expression of this gene was shown to suppress the growth of humar cells in a manner that appears to correlate with the presence of a wild-type RB1 function |
| 17KDa | Studies in the knockout mice suggested the roles of this gene in regulating spermatogenesis as well as in suppressing tumorigenesis. Two alternatively spliced transcript variants of this |
| Calculated MW: | gene, which encode an identical protein, have been reported. [provided by RefSeq, Jul 2008] |
| 15kDa | Immunogen information |
| Applications: | Gene ID: |
| WB IF | 1031 |
| Reactivity: | Uniprot |
| Human, Mouse, Rat | P42773 |
| | Synonyms: |
| Antibody Information | INK4C; p18; p18-INK4C |
| Recommended dilutions: WB 1:500 - 1:2000 IF 1:50 - 1:200 | Immunogen: |
| Source: Rabbit | A synthesized peptide derived from human CDKN2C/p18-INK4C |
| | Storage: |
| lsotype: IgG | Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 0.05% BSA, 50% glycerol, pH7.3. |

Purification: Affinity purification



Western blot - CDKN2C/p18-INK4C Rabbit mAb (CAB8751)