## **DSG2 Rabbit Polyclonal Antibody**



## **CAB9480**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

150kDa

Calculated MW:

122kDa

**Applications:** 

WB

Reactivity:

Human, Mouse, Rat

**Protein Background** 

This gene encodes a member of the desmoglein family and cadherin cell adhesion molecule superfamily of proteins. Desmogleins are calcium-binding transmembrane glycoprotein components of desmosomes, cell-cell junctions between epithelial, myocardial, and other cell types. The encoded preproprotein is proteolytically processed to generate the mature glycoprotein. This gene is present in a gene cluster with other desmoglein gene family members on chromosome 18. Mutations in this gene have been associated with arrhythmogenic right ventricular dysplasia, familial, 10.

Immunogen information

Gene ID:

1829

Uniprot Q14126

Synonyms:

DSG2; CDHF5; HDGC

**Antibody Information** 

**Recommended dilutions:** 

WB 1:500 - 1:2000

Immunogen:

Recombinant fusion protein containing a sequence corresponding

to amino acids 635-935 of human DSG2 (NP\_001934.2).

Source: Rabbit


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% Isotype:

sodium azide, 50% glycerol, pH7.3. IgG

**Purification:** 

Affinity purification

## **Product Images**



Western blot analysis of extracts of various cell lines, using DSG2 antibody (CAB9480) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 10s.