# Phospho-MAP3K5-T918 Rabbit Polyclonal Antibody



## **CABP0061**

#### **Product Information**

**Product SKU**: CABP0061 **Gene ID**: 4217 **Size**: 20uL, 100uL

Clone No: - Host Species: Rabbit Reactivity: Human

### **Additional Information**

**Observed MW**: 130kDa **Conjugate:** Unconjugated

Calculated MW: 155kDa Isotype: IgG

## **Immunogen Information**

Background: Mitogen-activated protein kinase (MAPK) signaling cascades include MAPK or extracellular signal-

regulated kinase (ERK), MAPK kinase (MKK or MEK), and MAPK kinase kinase (MAPKKK or MEKK). MAPKK kinase/MEKK phosphorylates and activates its downstream protein kinase, MAPK kinase/MEK, which in turn activates MAPK. The kinases of these signaling cascades are highly conserved, and homologs exist in yeast, Drosophila, and mammalian cells. MAPKKK5 contains 1,374 amino acids with all 11 kinase subdomains. Northern blot analysis shows that MAPKKK5 transcript is abundantly expressed in human heart and pancreas. The MAPKKK5 protein phosphorylates and activates MKK4 (aliases SERK1, MAPKK4) in vitro, and activates c-Jun N-terminal kinase (JNK)/stress-activated protein kinase (SAPK) during

transient expression in COS and 293 cells; MAPKKK5 does not activate MAPK/ERK.

**Recommended Dilution**: WB,1:500 - 1:2000

**Synonyms**: ASK1; MEKK5; MAPKKK5; Phospho-MAP3K5-T918

**Purifcation Method**: Affinity purification

Immunogen: A synthetic phosphorylated peptide around T918 of human MAP3K5 (Q59GL6).

**Storage**: Store at -20°C. Avoid freeze / thaw cycles.Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.