## Phospho-NF-kB p65-T505 Rabbit Polyclonal Antibody



**CABP0190** 

**Product Information** 

Size:

50uL, 100uL, 200uL

**Observed MW:** 

60kDa

**Calculated MW:** 

58kDa/59kDa/60kDa

**Applications:** 

WB

Reactivity:

Human

Protein Background

NF-kappa-B is a ubiquitous transcription factor involved in several biological processes. It is held in the cytoplasm in an inactive state by specific inhibitors. Upon degradation of the inhibitor, NF-kappa-B moves to the nucleus and activates transcription of specific genes. NF-kappa-B is composed of NFKB1 or NFKB2 bound to either REL, RELA, or RELB. The most abundant form of NF-kappa-B is NFKB1 complexed with the product of this gene, RELA. Four transcript variants encoding different isoforms have been found for this gene.

Immunogen information

Gene ID:

5970

**Uniprot** Q04206

**Synonyms:** 

NFKB3; p65; NF-kB p65; RELA; CMCU

**Antibody Information** 

**Recommended dilutions:** 

WB 1:1000 - 1:2000

Immunogen:

A phospho specific peptide corresponding to residues surrounding

T505 of human NF-kB p65

Source:

Rabbit

Storage:

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%


**Isotype:** sodium azide, 50% glycerol, pH7.3.

lgG

**Purification:** 

Affinity purification

## **Product Images**



Western blot analysis of extracts from HL60 cells untreated or treated with TNF-a, using Phospho-NF-kB p65-T505 antibody (CABP0190). Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% BSA.