

Phospho-CTTN-Y466 Rabbit Polyclonal Antibody



CABP0247

Product Information

Size:

50uL, 100uL, 200uL

Observed MW:

80kDa

Calculated MW:

57kDa/61kDa/70kDa

Applications:

WB

Reactivity:

Human, Mouse

Antibody Information

Recommended dilutions:

WB 1:500 - 1:2000

Source:

Rabbit

Isotype:

IgG

Purification:

Affinity purification

Protein Background

This gene is overexpressed in breast cancer and squamous cell carcinomas of the head and neck. The encoded protein is localized in the cytoplasm and in areas of the cell-substratum contacts. This gene has two roles: (1) regulating the interactions between components of adherens-type junctions and (2) organizing the cytoskeleton and cell adhesion structures of epithelia and carcinoma cells. During apoptosis, the encoded protein is degraded in a caspase-dependent manner. The aberrant regulation of this gene contributes to tumor cell invasion and metastasis. Three splice variants that encode different isoforms have been identified for this gene.

Immunogen information

Gene ID:

2017

Uniprot

Q14247

Synonyms:

CTTN; EMS1; cortactin


Immunogen:

A phospho specific peptide corresponding to residues surrounding Y466 of human CTTN

Storage:

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Product Images



Western blot analysis of extracts from Jurkat cells using Phospho-CTTN-Y466 antibody (CABP0247). Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% BSA.