
Product Information

Product SKU:	CABP0260	Gene ID:	5588	Size:	20uL, 100uL
Clone No:	-	Host Species:	Rabbit	Reactivity:	Human

Additional Information

Observed MW:	78kDa	Conjugate:	Unconjugated
Calculated MW:	82kDa	Isotype:	IgG

Immunogen Information

Background:	Protein kinase C (PKC) is a family of serine- and threonine-specific protein kinases that can be activated by calcium and the second messenger diacylglycerol. PKC family members phosphorylate a wide variety of protein targets and are known to be involved in diverse cellular signaling pathways. PKC family members also serve as major receptors for phorbol esters, a class of tumor promoters. Each member of the PKC family has a specific expression profile and is believed to play a distinct role. The protein encoded by this gene is one of the PKC family members. It is a calcium-independent and phospholipid-dependent protein kinase. This kinase is important for T-cell activation. It is required for the activation of the transcription factors NF-kappaB and AP-1, and may link the T cell receptor (TCR) signaling complex to the activation of the transcription factors.
Recommended Dilution:	WB,1:500 - 1:1000
Synonyms:	PRKCT; nPKC-theta; Phospho-PRKCQ-S676
Purification Method:	Affinity purification
Immunogen:	A phospho specific peptide corresponding to residues surrounding S676 of human PRKCQ
Storage:	Store at -20°C. Avoid freeze / thaw cycles.Buffer: PBS with 0.05% proclin300,50% glycerol,pH7.3.