## **Phospho-ELK1-S383 Rabbit Polyclonal Antibody**



## **CABP0345**

**Product Information** 

Size:

50uL, 100uL, 200uL

**Observed MW:** 

45kDa

Calculated MW:

11kDa/44kDa

**Applications:** 

**WB IHC** 

Reactivity:

Human, Mouse, Rat

**Antibody Information** 

**Recommended dilutions:** 

WB 1:500 - 1:2000 IHC 1:50

- 1:100

Source: Rabbit

Isotype:

IgG

**Purification:** 

Affinity purification

**Protein Background** 

This gene is a member of the Ets family of transcription factors and of the ternary complex factor (TCF) subfamily. Proteins of the TCF subfamily form a ternary complex by binding to the the serum response factor and the serum response element in the promoter of the c-fos protooncogene. The protein encoded by this gene is a nuclear target for the ras-raf-MAPK signaling cascade. This gene produces multiple isoforms by using alternative translational start codons and by alternative splicing. Related pseudogenes have been identified on chromosomes 7 and

Immunogen information

Gene ID:

2002

Uniprot

P19419

Synonyms:

ELK1

Immunogen:


A phospho specific peptide corresponding to residues surrounding

S383 of human ELK1

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.

## **Product Images**



Western blot analysis of extracts from HT29 cells, using Phospho-ELK1-S383 antibody (CABP0345). Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% BSA.

Immunohistochemistry of paraffin-embedded human breast carcinoma using Phospho-ELK1-S383 antibody (CABP0345).