

# Anti-Mouse CD28 In Vivo Antibody - Ultra Low Endotoxin

## **Product Information**

**Product SKU:** 

IVMB0057

Size:

1mg, 5mg, 25mg, 50mg, 100mg

**Concentration:** 

≥ 5.0 mg/ml

Isotype:

Syrian Hamster IgG

Host:

Syrian Hamster

Clone:

37.51

Category:

Monoclonal Antibody

Reactivity:

Mouse

Synonyms:

MGC138290, Tp44

Specificity:

Clone 37.51 recognizes an epitope on mouse CD28.

#### Formulation:

This monoclonal antibody is aseptically packaged and formulated in 0.01 M phosphate buffered saline (150 mM NaCl) PBS pH 7.2 - 7.4 with no carrier protein, potassium, calcium or preservatives added.





#### **Endotoxin Level:**

< 0.5 EU/mg as determined by the LAL method

#### **Purity:**

≥98% monomer by analytical SEC >95% by SDS Page

### Immunogen:

C57BL/6 mouse T-cell lymphoma EL-4

## Storage and Stability:

Functional grade preclinical antibodies may be stored sterile as received at 2-8°C for up to one month. For longer term storage, aseptically aliquot in working volumes without diluting and store at -80°C. Avoid Repeated Freeze Thaw Cycles.

## **Product Preparation:**

Functional grade preclinical antibodies are manufactured in an animal free facility using only In vitro protein free cell culture techniques and are purified by a multi-step process including the use of protein A or G to assure extremely low levels of endotoxins, leachable protein A or aggregates.

#### **Applications**

B, Costim, CyTOF®, FA, IP, WB

#### **Applications & Recommended Usage:**

FC The suggested concentration for this 37.51 antibody for staining cells in flow cytometry is  $\leq$  1.0 µg per 106 cells in a volume of 100 µl. Titration of the reagent is recommended for optimal performance for each application.