

# Anti-Human CD16 [3G8] In Vivo Antibody - Ultra Low Endotoxin

## **Product Information**

**Product SKU:** 

IVMB0113

Size:

1mg, 5mg, 25mg, 50mg, 100mg

**Concentration:** 

≥ 5.0 mg/ml

Isotype:

Mouse IgG1 κ

Host:

Mouse

Clone:

3G8

Category:

Monoclonal Antibody

Reactivity:

Baboon, Chimpanzee, Cynomolgus Monkey, Marmoset, Pigtailed Macaque, Rhesus Monkey, Squirrel Monkey, Human

Synonyms:

FcyRIII, Fc Gamma RIII

Specificity:

Clone 3G8 recognizes an epitope on human CD16. This clone also cross-reacts with non-human primate CD16.

Formulation:





This monoclonal antibody is aseptically packaged and formulated in 0.01 M phosphate buffered saline (150 mM NaCl) PBS pH 7.2 - 7.4 with no carrier protein, potassium, calcium or preservatives added.

#### **Endotoxin Level:**

< 0.5 EU/mg as determined by the LAL method

#### **Purity:**

≥98% monomer by analytical SEC · >95% by SDS Page

#### Immunogen:

**Human PMN cells** 

### Storage and Stability:

Functional grade preclinical antibodies may be stored sterile as received at 2-8°C for up to one month. For longer term storage, aseptically aliquot in working volumes without diluting and store at -80°C. Avoid Repeated Freeze Thaw Cycles.

### **Product Preparation:**

Functional grade preclinical antibodies are manufactured in an animal free facility using only In vitro protein free cell culture techniques and are purified by a multi-step process including the use of protein A or G to assure extremely low levels of endotoxins, leachable protein A or aggregates.

#### **Applications**

B, CyTOF®, FC, IHC FF, IP

#### **Applications & Recommended Usage:**

FC The suggested concentration for this 3G8 antibody for staining cells in flow cytometry is  $\leq$  2.0 µg per 106 cells in a volume of 100 µl or 100µl of whole blood. Titration of the reagent is recommended for optimal performance for each application.