

# **Anti-Human CD3 In Vivo Antibody - Ultra Low Endotoxin**

# **Product Information**

IVMB0118
<b>Size:</b> 1mg, 5mg, 25mg, 50mg, 100mg
Concentration:

Isotype: Mouse IgG1 κ

≥ 5.0 mg/ml

**Product SKU:** 

Host: Mouse Clone: UCHT-1



Category:

Monoclonal Antibody

Reactivity: Human

Synonyms: T3, CD3ε

Specificity:

Clone UCHT-1 recognizes an epitope on human CD3s.

#### Formulation:

This monoclonal antibody is aseptically packaged and formulated in 0.01 M phosphate buffered saline (150 mM NaCl) PBS pH 7.2 - 7.4 with no carrier protein, potassium, calcium or preservatives added.



#### **Endotoxin Level:**

< 0.5 EU/mg as determined by the LAL method

#### **Purity:**

≥98% monomer by analytical SEC >95% by SDS Page

### Immunogen:

Unknown

## Storage and Stability:

Functional grade preclinical antibodies may be stored sterile as received at 2-8°C for up to one month. For longer term storage, aseptically aliquot in working volumes without diluting and store at -80°C. Avoid Repeated Freeze Thaw Cycles.

## **Product Preparation:**

Functional grade preclinical antibodies are manufactured in an animal free facility using only In vitro protein free cell culture techniques and are purified by a multi-step process including the use of protein A or G to assure extremely low levels of endotoxins, leachable protein A or aggregates.

#### **Applications**

CODEX®, CyTOF®, FC, IF Staining, IHC FF, IP, WB

### **Applications & Recommended Usage:**

FC The suggested concentration for this UCHT-1 antibody for staining cells in flow cytometry is  $\leq .25 \,\mu g$  per 106 cells in a volume of 100  $\mu$ l or 100 $\mu$ l of whole blood. Titration of the reagent is recommended for optimal performance for each application.