

# Rituximab (Anti-CD20) Biosimilar In Vivo Antibody

# **Product Information**

Product SKU: IVMB0242

Size: 1mg, 5mg, 25mg, 50mg, 100mg

**Concentration:** ≥ 5.0 mg/ml

**Isotype:** Human IgG1κ

Host:

Clone: 10F381

**Category:** BioSimilar Antibody

**Reactivity:** Human/Rhesus Monkey/Cynomolgus Monkey

### Synonyms:

B1, S7, Bp35, CVID5, MS4A2, LEU-16, MS4A1, membrane spanning 4-domains A1

## Specificity:

This non-therapeutic biosimilar antibody uses the same variable region sequence as the therapeutic antibody Rituximab. Clone 10F381 recognizes human CD20. This product is for research use only.

### Formulation:

This biosimilar antibody is aseptically packaged and formulated in 0.01 M phosphate buffered saline (150 mM NaCl) PBS pH 7.2 - 7.4 with no carrier protein, potassium, calcium or preservatives added. Due to inherent biochemical properties of antibodies, certain products may

Copyright © 2023 Assay Genie info@assaygenie.com www.assaygenie.com



be prone to precipitation over time. Precipitation may be removed by aseptic centrifugation and/or filtration.

Endotoxin Level:

< 1.0 EU/mg as determined by the LAL method

**Purity:** >95% monomer by analytical SEC

#### Immunogen:

#### Storage and Stability:

Functional grade biosimilar antibodies may be stored sterile as received at 2-8°C for up to one month. For longer term storage, aseptically aliquot in working volumes without diluting and store at -80°C. Avoid Repeated Freeze Thaw Cycles.

#### **Product Preparation:**

Functional grade preclinical antibodies are manufactured in an animal free facility using only In vitro protein free cell culture techniques and are purified by a multi-step process including the use of protein A or G to assure extremely low levels of endotoxins, leachable protein A or aggregates.

#### Applications

FC

Applications & Recommended Usage: FC