The metabolite of furaltadone Monoclonal Antibody



MACO0583

Reactivity:

Source:

Mouse

-				-		•			-•		
ш	v	~~		ct	In	ta	rn	J (1)	H	nn	
г		"	ıu	LL		ıv		ıa	LI	u	

Size: Protein Background:

50ug FURALTADONE is the generic name given to a nitrofuran chemically described as 5-morpholinol-methyl-3-(5-nitrofurfurylideneamino) -2-oxazolidone. 1 As has been

observed for various other nitrofurans, furaltadone is inhibitory and bactericidal in vitro for staphylococci. In contrast to nitrofurantoin, which also inhibits staphylococci in

vitro,2 furaltadone is not rapidly excreted in the urine, at least not in an active form. It was hoped, therefore, that inhibitory concentrations could be produced in the plasma

and that it would serve as effective treatment for serious systemic staphylococcal

infections.

Isotype: Gene ID:

IgG1 The metabolite of furaltadone

Applications: Uniprot

ELISA

Recommended dilutions: Synonyms:

CPAMOZ, The metabolite of furaltadone

Immunogen:

The metabolite of furaltadone-BSA conjugate

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Product	Images
---------	---------------

N/A N/A