
ANGPT1 Antibody

PACO14031



| Product Information | |
|---|--|
| Size: | Protein Background: |
| 50ul | Angiopoietins are proteins with important roles in vascular development and angiogenesis. All angiopoietins bind with similar affinity to an endothelial cell-specific tyrosine-protein kinase receptor. The protein encoded by this gene is a secreted glycoprotein that activates the receptor by inducing its tyrosine phosphorylation. It plays a critical role in mediating reciprocal interactions between the endothelium and surrounding matrix and mesenchyme and inhibits endothelial permeability. The protein |
| Reactivity: Human, Mouse, Rat | |
| Source: | |
| Rabbit | also contributes to blood vessel maturation and stability, and may be involved in early development of the heart. Alternative splicing results in multiple transcript variants |
| lsotype: | encoding distinct isoforms. |
| lgG | Gene ID: |
| Applications: | ANGPT1 |
| ELISA, IHC | Uniprot |
| Recommended dilutions: | Q15389 |
| ELISA:1:2000-1:5000, IHC:1:25-1:100 | Synonyms: |
| | angiopoietin 1 |
| | Immunogen: |
| | Fusion protein of human ANGPT1. |
| | Storage: |

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol



The image on the left is immunohistochemistry of paraffin-embedded Human lung cancer tissue using PACO14031(ANGPT1 Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: x—200).

The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using PACO14031(ANGPT1 Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: x—200).