# **ADAMTSL2 Antibody**



#### PACO15315

## **Product Information**

Size:

50ul

Reactivity:

Human, Mouse

Source:

Rabbit

Isotype:

lgG

**Applications:** 

ELISA, WB

**Recommended dilutions:** 

ELISA:1:1000-1:2000, WB:1:200-1:1000

### **Protein Background:**

This gene encodes a member of the ADAMTS (a disintegrin and metalloproteinase with thrombospondin motifs) and ADAMTS-like protein family. Members of the family share several distinct protein modules, including a propeptide region, a metalloproteinase domain, a disintegrin-like domain, and a thrombospondin type 1 (TS) motif. Individual members of this family differ in the number of C-terminal TS motifs, and some have unique C-terminal domains. The protein encoded by this gene lacks the protease domain, and is therefore of a member of the the ADAMTS-like protein subfamily. It is a secreted glycoprotein that binds the cell surface and extracellular matrix; it also interacts with latent transforming growth factor beta binding protein 1. Mutations in this gene have been associated with geleophysic dysplasia.

Gene ID:

ADAMTSL2

Uniprot

Q86TH1

**Synonyms:** 

ADAMTS-like 2


Immunogen:

Fusion protein of human ADAMTSL2.

Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

## **Product Images**



Gel: 8%SDS-PAGE, Lysate: 40 μ g, Lane 1-2: K562 cells, Jurkat cells, Primary antibody: PACO15315(ADAMTSL2 Antibody) at dilution 1/350, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 5 minutes.