## **CDK5RAP3 Antibody**



## PACO15996

## **Product Information**

Human, Mouse, Rat

Size: Protein Background:

This gene encodes a protein that has been reported to function in signaling pathways governing transcriptional regulation and cell cycle progression. It may play a role in Reactivity:

tumorigenesis and metastasis. A pseudogene of this gene is located on the long arm of chromosome 20. Alternative splicing results in multiple transcript variants that encode

different isoforms.

Source: Gene ID:

Rabbit CDK5RAP3

Isotype: Uniprot

IgG Q96JB5

Applications: Synonyms:

ELISA, WB, IHC

CDK5 regulatory subunit associated protein 3


Recommended dilutions: Immunogen:

ELISA:1:2000-1:5000, WB:1:500-1:2000, IHC:1:25-1:100 Fusion protein of human CDK5RAP3.


Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol


## **Product Images**



The image on the left is immunohistochemistry of paraffin-embedded Human colon cancer tissue using PACO15996(CDK5RAP3 Antibody) at dilution 1/40, on the right is treated with fusion protein. (Original magnification: x—200).



Gel: 6%SDS-PAGE, Lysate: 40 μ g, Lane 1-2: Human brain malignant glioma tissue, Human bladder carcinoma tissue, Primary antibody: PACO15996(CDK5RAP3 Antibody) at dilution 1/449, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 40 seconds.



The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using PACO15996(CDK5RAP3 Antibody) at dilution 1/40, on the right is treated with fusion protein. (Original magnification: x—200).