## MCM3AP Antibody



## PACO16394

## **Product Information**

Size: Protein Background:

50ul The minichromosome maintenance protein 3 (MCM3) is one of the MCM proteins

**Reactivity:**essential for the initiation of DNA replication. The protein encoded by this gene is a MCM3 binding protein. It was reported to have phosphorylation-dependent DNA-

Human primase activity, which was up-regulated in antigen immunization induced germinal center. This protein was demonstrated to be an acetyltransferase that acetylates MCM3 **Source:**and plays a role in DNA replication. The mutagenesis of a purclear localization signal of

and plays a role in DNA replication. The mutagenesis of a nuclear localization signal of

Rabbit MCM3 affects the binding of this protein with MCM3, suggesting that this protein may also facilitate MCM3 nuclear localization. This gene is expressed in the brain or in

Isotype: neuronal tissue. An allelic variant encoding amino acid, Lys at 915, instead of conserved

Glu, has been identified in patients with mild intellectual disability.

lgG **Gene ID:** 

Applications: MCM3AP

ELISA, WB, IHC Uniprot

Recommended dilutions: O60318

minichromosome maintenance complex component 3 associated protein


Immunogen:


Fusion protein of human MCM3AP.


Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol


## **Product Images**







Gel: 6%SDS-PAGE, Lysate: 40 μ g, Lane 1-2: Hela cells, 293T cells, Primary antibody: PACO16394(MCM3AP Antibody) at dilution 1/350, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 20 seconds.



The image on the left is immunohistochemistry of paraffin-embedded Human colon cancer tissue using PACO16394(MCM3AP Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: x—200).