

PACO16810

Product Information

Size:

50ul

Reactivity:

Human

Source:

Rabbit

Isotype:

IgG

Applications:

ELISA, WB

Recommended dilutions:

ELISA:1:1000-1:2000, WB:1:200-1:1000

Protein Background:

OCIAD2 (OCIA domain containing 2) is a 154 amino acid, protein that localizes to endosomes and contains one OCIA domain. OCIAD2 exists as multiple alternative spliced isoforms and is encoded by a gene which localizes to human chromosome 4. Representing approximately 6% of the human genome, chromosome 4 contains nearly 900 genes, one of which is the Huntingtin gene, which is found to encode an expanded glutamine tract in cases of Huntington's disease.

Gene ID:

OCIAD2

Uniprot

Q56VL3

Synonyms:

OCIA domain containing 2

Immunogen:

Fusion protein of human OCIAD2.

Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product Images



Gel: 10%SDS-PAGE, Lysate: 40 μ g, Lane: A172 cells, Primary antibody: PACO16810(OCIAD2 Antibody) at dilution 1/250, Secondary antibody: Goat anti rabbit IgG at 1/8000 dilution, Exposure time: 10 minutes.