SNX15 Antibody



PACO17129

Reactivity:

Human, Mouse, Rat

Product Information

Size: Protein Background:

50ul This gene encodes a member of the sorting nexin family. Members of this family contain a phox (PX) domain, which is a phosphoinositide binding domain, and are

involved in intracellular trafficking. Overexpression of this gene results in a decrease in the processing of insulin and hepatocyte growth factor receptors to their mature

subunits. This decrease is caused by the mislocalization of furin, the endoprotease

Source: responsible for cleavage of insulin and hepatocyte growth factor receptors.

Rabbit Gene ID:

Isotype: SNX15

lgG Uniprot

Applications: Q9NRS6

ELISA, IHC Synonyms:

Recommended dilutions: sorting nexin 15


ELISA:1:2000-1:5000, IHC:1:20-1:100 **Immunogen:**


Fusion protein of human SNX15.

Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product Images





The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using PACO17129(SNX15 Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: x—200).

The image on the left is immunohistochemistry of paraffin-embedded Human esophagus cancer tissue using PACO17129(SNX15 Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: x—200).