# **ST18 Antibody**



#### PACO17159

#### **Product Information**

Size:

50ul

Reactivity:

Human, Mouse, Rat

Source:

Rabbit

Isotype:

lgG

**Applications:** 

ELISA, IHC

**Recommended dilutions:** 

ELISA:1:1000-1:5000, IHC:1:40-1:150

### **Protein Background:**

ST18 (suppression of tumorigenicity 18), also known as ZNF387 ((zinc finger protein 387), is a 1,047 amino acid, nuclear protein that is expressed at low levels in heart, liver, kidney, skeletal muscle, pancreas, testis, ovary and prostate. Containing six C2HC-type zinc fingers and an SMC domain, ST18 is a repressor protein that binds to DNA sequences containing a specific bipartite element. ST18 is considered a transcription factor that represses basal transcription activity from target promoters and Inhibits colony formation in cultured breast cancer cells.

Gene ID:

ST18

Uniprot

O60284

Synonyms:

suppression of tumorigenicity 18, zinc finger


Immunogen:

Fusion protein of human ST18.

Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

## **Product Images**



The image on the left is immunohistochemistry of paraffin-embedded Human ovarian cancer tissue using PACO17159(ST18 Antibody) at dilution 1/50, on the right is treated with fusion protein. (Original magnification: x—200).