SWAP70 Antibody



PACO17381

Product Information

Size: Protein Background:

Phosphatidylinositol 3,4,5-trisphosphate-dependent guanine nucleotide exchange factor (GEF) which, independently of RAS, transduces signals from tyrosine kinase receptors to RAC. It also mediates signaling of membrane ruffling. Regulates the actin

Human, Mouse cytoskeleton as an effector or adapter protein in response to agonist stimulated

phosphatidylinositol (3,4)-bisphosphate production and cell protrusion.

Source: Gene ID:

Rabbit SWAP70

Isotype: Uniprot

IgG Q9UH65

Applications: Synonyms:

ELISA, IHC
SWAP switching B-cell complex 70kDa subunit


Recommended dilutions: Immunogen:


ELISA:1:2000-1:5000, IHC:1:25-1:100 Fusion protein of human SWAP70.

Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product Images





The image on the left is immunohistochemistry of paraffin-embedded Human tonsil tissue using PACO17381(SWAP70 Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: x—200).

The image on the left is immunohistochemistry of paraffin-embedded Human prostate cancer tissue using PACO17381(SWAP70 Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: x—200).