## **SWAP70 Antibody**



## PACO17382

## **Product Information**

Size: Protein Background:

Phosphatidylinositol 3,4,5-trisphosphate-dependent guanine nucleotide exchange factor (GEF) which, independently of RAS, transduces signals from tyrosine kinase

Reactivity:

receptors to RAC. It also mediates signaling of membrane ruffling. Regulates the actin

Human, Mouse cytoskeleton as an effector or adapter protein in response to agonist stimulated phosphatidylinositol (3,4)-bisphosphate production and cell protrusion.

Source:

Gene ID:

Rabbit SWAP70

Isotype: Uniprot

IgG Q9UH65

Applications: Synonyms:

ELISA, IHC
SWAP switching B-cell complex 70kDa subunit


Recommended dilutions: Immunogen:

ELISA:1:1000-1:2000, IHC:1:10-1:50 Fusion protein of human SWAP70.

Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

## **Product Images**



The image on the left is immunohistochemistry of paraffin-embedded Human colorectal cancer tissue using PACO17382(SWAP70 Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: x—200).

The image on the left is immunohistochemistry of paraffin-embedded Human brain tissue using PACO17382(SWAP70 Antibody) at dilution 1/20, on the right is treated with fusion protein. (Original magnification: x—200).