
## **USF1** Antibody

## PACO17391



Product Information		
	Size:	Protein Background:
	50ul	This gene encodes a member of the basic helix-loop-helix leucine zipper family, and can function as a cellular transcription factor. The encoded protein can activate transcription through pyrimidine-rich initiator (Inr) elements and E-box motifs. This gene has been linked to familial combined hyperlipidemia (FCHL). Alternative splicing of this gene results in multiple transcript variants. A related pseudogene has been defined on chromosome 21.
	Reactivity:	
	Human, Mouse	
	Source:	
	Rabbit	Gene ID:
	lsotype:	USF1
	lgG	Uniprot
	Applications:	P22415
	ELISA, IHC	Synonyms:
	Recommended dilutions:	upstream transcription factor 1
	ELISA:1:2000-1:5000, IHC:1:25-1:100	Immunogen:
		Fusion protein of human USF1.
		Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol



The image on the left is immunohistochemistry of paraffin-embedded Human thyroid cancer tissue using PACO17391(USF1 Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: x—200).

The image on the left is immunohistochemistry of paraffin-embedded Human prostate cancer tissue using PACO17391(USF1 Antibody) at dilution 1/30, on the right is treated with fusion protein. (Original magnification: x—200).