SAMD9 Antibody



PACO20389

Reactivity:

Human

Source:

Product Information

Size: Protein Background:

50ul Non-receptor protein-tyrosine kinase that regulates reorganization of the actin cytoskeleton, cell polarization, cell migration, adhesion, spreading and bone

remodeling. Plays a role in the regulation of the humoral immune response, and is required for normal levels of marginal B-cells in the spleen and normal migration of splenic B-cells. Required for normal macrophage polarization and migration towards sites of inflammation. Regulates cytoskeleton rearrangement and cell spreading in T-cells, and contributes to the regulation of T-cell responses. Promotes extendent bone

Rabbit

cells, and contributes to the regulation of T-cell responses. Promotes osteoclastic bone resorption; this requires both PTK2B/PYK2 and SRC. May inhibit differentiation and activity of osteoprogenitor cells. Functions in signaling downstream of integrin and collagen receptors, immune receptors, G-protein coupled receptors (GPCR), cytokine,

lgG chemokine and growth factor receptors, and mediates responses to cellular stress.

Applications: Gene ID:

ELISA, IHC SAMD9

Recommended dilutions: Uniprot

ELISA:1:1000-1:2000, IHC:1:25-1:100 Q5K651

Synonyms:

sterile alpha motif domain containing 9


Immunogen:

Synthetic peptide of human SAMD9.

Storage:

-20° C, pH7.4 PBS, 0.05% NaN3, 40% Glycerol

Product Images



The image on the left is immunohistochemistry of paraffin-embedded Human liver cancer tissue using PACO20389(SAMD9 Antibody) at dilution 1/35, on the right is treated with synthetic peptide. (Original magnification: x—200).