AIFM1 Antibody, Biotin conjugated



PACO24834

Reactivity:

Source:

Rabbit

Isotype:

lgG

Product Information

Size: Protein Background:

50ug Functions both as NADH oxidoreductase and as regulator of apoptosis. In response to apoptotic stimuli, it is released from the mitochondrion intermembrane space into the

cytosol and to the nucleus, where it functions as a proapoptotic factor in a caspase-independent pathway. In contrast, functions as an antiapoptotic factor in normal

Human Independent pathway. In contrast, functions as an antiapoptotic factor in normal mitochondria via its NADH oxidoreductase activity. The soluble form (AlFsol) found in

the nucleus induces 'parthanatos' i. e. caspase-independent fragmentation of chromosomal DNA. Interacts with EIF3G, and thereby inhibits the EIF3 machinery and

protein synthesis, and activates casapse-7 to amplify apoptosis. Plays a critical role in caspase-independent, pyknotic cell death in hydrogen peroxide-exposed cells. Binds to

DNA in a sequence-independent manner.

Gene ID:

Applications:

ELISA Uniprot

Recommended dilutions: O95831

Synonyms:

8), AIFM1, AIF PDCD8

Immunogen:

Recombinant Human Apoptosis-inducing factor 1, mitochondrial protein (103-612AA).

Apoptosis-inducing factor 1, mitochondrial (EC 1.1.1. -) (Programmed cell death protein

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4 $\,$

Product	Images
---------	---------------

N/A N/A