## UBE2V2 Antibody, FITC conjugated

## PACO30958



Product Information	
Size:	Protein Background:
50ug	Has no ubiquitin ligase activity on its own. The UBE2V2/UBE2N heterodimer catalyzes
Reactivity:	the synthesis of non-canonical poly-ubiquitin chains that are linked through 'Lys-63'. This type of poly-ubiquitination does not lead to protein degradation by the proteasome. Mediates transcriptional activation of target genes. Plays a role in the control of progress through the cell cycle and differentiation. Plays a role in the error- free DNA repair pathway and contributes to the survival of cells after DNA damage.
Human	
Source:	
Rabbit	Gene ID:
lsotype:	UBE2V2
IgG	Uniprot
Applications:	Q15819
ELISA	Synonyms:
Recommended dilutions:	Ubiquitin-conjugating enzyme E2 variant 2 (DDVit 1) (Enterocyte differentiation- associated factor 1) (EDAF-1) (Enterocyte differentiation-promoting factor 1) (EDPF-1) (MMS2 homolog) (Vitamin D3-inducible protein), UBE2V2, MMS2 UEV2
	Immunogen:
	Recombinant Human Ubiquitin-conjugating enzyme E2 variant 2 protein (2-145AA).
	Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

N/A N/A