## **TNFSF9 Antibody**



## PACO32540

Reactivity:

## **Product Information**

Size: **Protein Background:** 

50ug Cytokine that binds to TNFRSF9. Induces the proliferation of activated peripheral blood

T-cells. May have a role in activation-induced cell death (AICD). May play a role in

cognate interactions between T-cells and B-cells/macrophages.

Human Gene ID:

Source: TNFSF9

Rabbit Uniprot

Isotype: P41273

lgG Synonyms:

**Applications:** Tumor necrosis factor ligand superfamily member 9 (4-1BB ligand) (4-1BBL), TNFSF9

ELISA, IHC, IF Immunogen:

**Recommended dilutions:** Recombinant Human Tumor necrosis factor ligand superfamily member 9 protein (52-

254AA).


IF:1:50-1:200

ELISA:1:2000-1:10000, IHC:1:20-1:200,


Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

## **Product Images**



Immunohistochemistry of paraffin-embedded human placenta tissue using PACO32540 at dilution of 1:100.



Immunofluorescence staining of Hela cells with PACO32540 at 1:133, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4°C. The secondary antibody was Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L).