## DDX42 Antibody, FITC conjugated

## PACO37424



Product Information	
Size:	Protein Background:
50ug	ATP-dependent RNA helicase. Binds to partially double-stranded RNAs (dsRNAs) in
Reactivity:	order to unwind RNA secondary structures. Unwinding is promoted in the presence of single-strand binding proteins. Mediates also RNA duplex formation thereby displacing
Human	the single-strand RNA binding protein. ATP and ADP modulate its activity: ATP binding and hydrolysis by DDX42 triggers RNA strand separation, whereas the ADP-bound form
Source:	of the protein triggers annealing of complementary RNA strands. Involved in the
Rabbit	survival of cells by interacting with TP53BP2 and thereby counteracting the apoptosis- stimulating activity of TP53BP2. Relocalizes TP53BP2 to the cytoplasm.
lsotype:	Gene ID:
lgG	DDX42
Applications:	Uniprot
ELISA	
ELISA	Q86XP3
Recommended dilutions:	Q86XP3 Synonyms:
	Synonyms: ATP-dependent RNA helicase DDX42 (EC 3.6.4.13) (DEAD box protein 42) (RNA helicase-like protein) (RHELP) (RNA helicase-related protein) (RNAHP) (SF3b DEAD box
	Synonyms: ATP-dependent RNA helicase DDX42 (EC 3.6.4.13) (DEAD box protein 42) (RNA helicase-like protein) (RHELP) (RNA helicase-related protein) (RNAHP) (SF3b DEAD box protein) (Splicing factor 3B-associated 125 kDa protein) (SF3b125), DDX42
	Synonyms: ATP-dependent RNA helicase DDX42 (EC 3.6.4.13) (DEAD box protein 42) (RNA helicase-like protein) (RHELP) (RNA helicase-related protein) (RNAHP) (SF3b DEAD box protein) (Splicing factor 3B-associated 125 kDa protein) (SF3b125), DDX42 Immunogen:

N/A N/A