Txnip Antibody, FITC conjugated



PACO37580

Reactivity:

Product Information

Size: Protein Background:

50ug May act as an oxidative stress mediator by inhibiting thioredoxin activity or by limiting its bioavailability. Interacts with COPS5 and restores COPS5-induced suppression of

CDKN1B stability, blocking the COPS5-mediated translocation of CDKN1B from the nucleus to the cytoplasm. Inhibits the proteasomal degradation of DDIT4, and thereby

Mouse nucleus to the cytoplasm. Inhibits the proteasomal degradation of DDI14, and therefore contributes to the inhibition of the mammalian target of rapamycin complex 1

Source: (mTORC1). Functions as a transcriptional repressor, possibly by acting as a bridge

Rabbit molecule between transcription factors and corepressor complexes, and overexpression will induce G0/G1 cell cycle arrest. Required for the maturation of natural

Isotype: killer cells. Acts as a suppressor of tumor cell growth.

lgG Gene ID:

Applications: Txnip

ELISA Uniprot

Q8BG60 Recommended dilutions:

Synonyms:

Thioredoxin-interacting protein (Vitamin D3 up-regulated protein 1), Txnip, Vdup1

Immunogen:

Recombinant Mouse Thioredoxin-interacting protein (1-397AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Product	Images
---------	---------------

N/A N/A