

PACO37914

Product Information

Size:

50ug

Reactivity:

Human

Source:

Rabbit

Isotype:

IgG

Applications:

ELISA, IHC, IF, IP

Recommended dilutions:

ELISA:1:2000-1:10000, IHC:1:20-1:200,
IF:1:50-1:500, IP:1:200-1:2000

Protein Background:

Can induce apoptosis in a caspase-dependent manner and plays a role in p53/TP53-dependent apoptosis.

Gene ID:

SHISA5

Uniprot

Q8N114

Synonyms:

Protein shisa-5 (Putative NF-kappa-B-activating protein 120) (Scotin), SHISA5, SCOTIN


Immunogen:

Recombinant Human Protein shisa-5 protein (56-137AA).


Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4


Product Images



Immunohistochemistry of paraffin-embedded human adrenal gland tissue using PACO37914 at dilution of 1:100.



Immunoprecipitating SHISA5 in HepG2 whole cell lysate. Lane 1: Rabbit control IgG (1 μ g) instead of PACO37914 in HepG2 whole cell lysate. For western blotting, a HRP-conjugated Protein G antibody was used as the secondary antibody (1/2000). Lane 2: PACO37914 (6 μ g) + HepG2 whole cell lysate (500 μ g). Lane 3: HepG2 whole cell lysate (10 μ g).



Immunofluorescence staining of A549 cells with PACO37914 at 1:200, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4°C. The secondary antibody was Alexa Fluor 488-conjugated AffiniPure Goat Anti-Rabbit IgG(H+L).