

---

## Product Information

**Size:**

50ug

**Reactivity:**

Human

**Source:**

Rabbit

**Isotype:**

IgG

**Applications:**

ELISA, WB

**Recommended dilutions:**

ELISA:1:2000-1:10000, WB:1:500-1:2000

**Protein Background:**

Required for mRNA export from the nucleus to the cytoplasm. Acts as an adapter that uses the DDX39B/UAP56-NFX1 pathway to ensure efficient mRNA export and delivering to the nuclear pore. Associates with spliced and unspliced mRNAs simultaneously with ALYREF/THOC4.

**Gene ID:**

FYTTD1

**Uniprot**

Q96QD9

**Synonyms:**

UAP56-interacting factor (Forty-two-three domain-containing protein 1) (Protein 40-2-3), FYTTD1, UIF

**Immunogen:**


Recombinant Human UAP56-interacting factor protein (1-318AA).

**Storage:**

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

## Product Images

---



Western blot. All lanes: FYTDD1 antibody at 4 $\mu$ g/ml. Lane 1: A375 whole cell lysate. Lane 2: Jurkat whole cell lysate. Secondary. Goat polyclonal to rabbit IgG at 1/10000 dilution. Predicted band size: 36, 34, 29, 15 kDa. Observed band size: 36 kDa.