ALKBH2 Antibody



PACO43425

Reactivity:

Human

Product Information

Size: **Protein Background:**

50ul Dioxygenase that repairs alkylated DNA and RNA containing 1-methyladenine and 3methylcytosine by oxidative demethylation. Can also repair alkylated DNA containing 1-

ethenoadenine (in vitro). Has strong preference for double-stranded DNA. Has low

efficiency with single-stranded substrates. Requires molecular oxygen, alpha-

ketoglutarate and iron.

Source: Gene ID:

Rabbit ALKBH2

Isotype: Uniprot

lgG Q6NS38

Applications: Synonyms:

ELISA, WB, IHC DNA oxidative demethylase ALKBH2 (EC 1.14.11.33) (Alkylated DNA repair protein alkB

homolog 2) (Alpha-ketoglutarate-dependent dioxygenase alkB homolog 2) (Oxy DC1),

ALKBH2, ABH2

ELISA:1:2000-1:10000, WB:1:200-1:1000, IHC:1:20-1:200

Recommended dilutions:


Immunogen:

Recombinant Human DNA oxidative demethylase ALKBH2 protein (1-261AA).


Storage:

PBS with 0.02% sodium azide, 50% glycerol, pH7.3.


Product Images



Western blot. All lanes: Alpha-ketoglutarate-dependent dioxygenase alkB homolog 2 antibody at $2\mu g/ml + Hela$ whole cell lysate. Secondary. Goat polyclonal to rabbit IgG at 1/10000 dilution. Predicted band size: 30, 18 kDa. Observed band size: 30 kDa.



Immunohistochemistry of paraffin-embedded human kidney tissue using PACO43425 at dilution of 1:100.



Immunohistochemistry of paraffin-embedded human small intestine tissue using PACO43425 at dilution of 1:100.