

PACO43579

Product Information

Size:

50ul

Reactivity:

Human

Source:

Rabbit

Isotype:

IgG

Applications:

ELISA, IHC

Recommended dilutions:

ELISA:1:2000-1:10000, IHC:1:20-1:200

Protein Background:

3'-5' DNA helicase involved in repair of alkylated DNA. Promotes DNA unwinding to generate single-stranded substrate needed for ALKHB3, enabling ALKHB3 to process alkylated N3-methylcytosine (3mC) within double-stranded regions. Enhances NF-kappa-B, SRF and AP1 transactivation.1 Publication.

Gene ID:

ASCC3

Uniprot

Q8N3C0

Synonyms:

Activating signal cointegrator 1 complex subunit 3 (EC 3.6.4.12) (ASC-1 complex subunit p200) (ASC1p200) (Helicase, ATP binding 1) (Trip4 complex subunit p200), ASCC3, HELIC1


Immunogen:

Recombinant Human Activating signal cointegrator 1 complex subunit 3 protein (1-111AA).


Storage:

PBS with 0.02% sodium azide, 50% glycerol, pH7.3.


Product Images



Immunohistochemistry of paraffin-embedded human breast cancer using PACO43579 at dilution of 1:100.



Immunohistochemistry of paraffin-embedded human pancreatic tissue using PACO43579 at dilution of 1:100.



Immunohistochemistry of paraffin-embedded human placenta tissue using PACO43579 at dilution of 1:100.