

NMT2 Antibody



PACO44512

Product Information

Size:

50ul

Reactivity:

Human

Source:

Rabbit

Isotype:

IgG

Applications:

ELISA, WB, IHC, IP

Recommended dilutions:

ELISA:1:2000-1:10000, WB:1:1000-1:5000,
IHC:1:20-1:200, IP:1:200-1:2000

Protein Background:

Adds a myristoyl group to the N-terminal glycine residue of certain cellular and viral proteins.

Gene ID:

NMT2

Uniprot

O60551

Synonyms:

Glycylpeptide N-tetradecanoyltransferase 2 (EC 2.3.1.97) (Myristoyl-CoA: protein N-myristoyltransferase 2) (NMT 2) (Peptide N-myristoyltransferase 2) (Type II N-myristoyltransferase), NMT2


Immunogen:

Recombinant Human Glycylpeptide N-tetradecanoyltransferase 2 protein (1-120AA).


Storage:

PBS with 0.02% sodium azide, 50% glycerol, pH7.3.


Product Images



Western blot. All lanes: NMT2 antibody at 4.99 μ g/ml. Lane 1: Human placenta tissue. Lane 2: K562 whole cell lysate. Secondary: Goat polyclonal to rabbit IgG at 1/10000 dilution. Predicted band size: 57 kDa. Observed band size: 57 kDa.



Immunohistochemistry of paraffin-embedded human prostate cancer using PACO44512 at dilution of 1:100.



Immunohistochemistry of paraffin-embedded human testis tissue using PACO44512 at dilution of 1:100.