WNK4 Antibody, FITC conjugated

PACO46908



Product Information	
Size:	Protein Background:
50ug	Serine/threonine kinase which plays an important role in the regulation of electrolyte
Reactivity:	homeostasis, cell signaling, survival and proliferation. Acts as an activator and inhibitor of sodium-coupled chloride cotransporters and potassium-coupled chloride
Human	cotransporters respectively. Activates SCNN1A, SCNN1B, SCNN1D, SGK1, TRPV5 and
Source:	TRPV6. Regulates the activity of the thiazide-sensitive Na-Cl cotransporter, SLC12A3, by phosphorylation which appears to prevent membrane trafficking of SLC12A3. Also
Rabbit	inhibits the renal K(+) channel, KCNJ1, via a kinase-independent mechanism by which it induces clearance of the protein from the cell surface by clathrin-dependent
lsotype:	endocytosis. WNK4 appears to act as a molecular switch that can vary the balance between NaCl reabsorption and K(+) secretion to maintain integrated homeostasis.
lgG	Phosphorylates NEDD4L. Acts as a scaffold to inhibit SLC4A4 as well as CFTR activities
Applications:	and surface expression, recruits STK39 which mediates the inhibition.
ELISA	Gene ID:
	WNK4
Recommended dilutions:	Uniprot
	Q96J92
	Synonyms:
	Serine/threonine-protein kinase WNK4 (EC 2.7.11.1) (Protein kinase lysine-deficient 4) (Protein kinase with no lysine 4), WNK4, PRKWNK4
	Immunogen:
	Recombinant Human Serine/threonine-protein kinase WNK4 protein (828-1106AA).
	Storage:
	Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

N/A N/A