LEF1 Antibody, Biotin conjugated



PACO47509

Reactivity:

lgG

Product Information

Size: **Protein Background:**

50ug Participates in the Wnt signaling pathway. Activates transcription of target genes in the presence of CTNNB1 and EP300. May play a role in hair cell differentiation and follicle

morphogenesis. TLE1, TLE2, TLE3 and TLE4 repress transactivation mediated by LEF1 and CTNNB1. Regulates T-cell receptor alpha enhancer function. Binds DNA in a

Human sequence-specific manner. PIAG antagonizes both Wnt-dependent and Wnt-

Source: independent activation by LEF1. Isoform 3 lacks the CTNNB1 interaction domain and

may be an antagonist for Wnt signaling. Isoform 5 transcriptionally activates the Rabbit fibronectin promoter, binds to and represses transcription from the E-cadherin

promoter in a CTNNB1-independent manner, and is involved in reducing cellular Isotype: aggregation and increasing cell migration of pancreatic cancer cells. Isoform 1

transcriptionally activates MYC and CCND1 expression and enhances proliferation of

pancreatic tumor cells. **Applications:**

Gene ID: **ELISA**

Recommended dilutions:

Uniprot

LEF1

Q9UJU2

Synonyms:

Lymphoid enhancer-binding factor 1 (LEF-1) (T cell-specific transcription factor 1-alpha) (TCF1-alpha), LEF1

Immunogen:

Recombinant Human Lymphoid enhancer-binding factor 1 protein (75-216AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, PH 7.4

Product	Images
---------	---------------

N/A N/A