NR0B1 Antibody



PACO51754

Reactivity:

Human

Product Information

Size: Protein Background:

50ug Orphan nuclear receptor. Component of a cascade required for the development of the

hypothalamic-pituitary-adrenal-gonadal axis. Acts as a coregulatory protein that inhibits the transcriptional activity of other nuclear receptors through heterodimeric

interactions. May also have a role in the development of the embryo and in the

maintenance of embryonic stem cell pluripotency.

Source: Gene ID:

Rabbit NR0B1

Isotype: Uniprot

IgG P51843

Applications: Synonyms:

ELISA, WB, IHC

Nuclear receptor subfamily 0 group B member 1 (DSS-AHC critical region on the X

Recommended dilutions: chromosome protein 1) (Nuclear receptor DAX-1), NR0B1, AHC DAX1

ELISA:1:2000-1:10000, WB:1:500-1:5000, Immunogen:

IHC:1:20-1:200


Recombinant Human Nuclear receptor subfamily 0 group B member 1 protein (1-

243AA).


Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4


Product Images



Western Blot. Positive WB detected in: Hela whole cell lysate. All lanes: NR0B1 antibody at 2.8µg/ml. Secondary. Goat polyclonal to rabbit lgG at 1/50000 dilution. Predicted band size: 52, 44 kDa. Observed band size: 52 kDa.



Immunohistochemistry of paraffin-embedded human small intestine tissue using PACO51754 at dilution of 1:100.



Immunohistochemistry of paraffin-embedded human testis tissue using PACO51754 at dilution of 1:100.