

STAT4 Antibody



PACO51982

Product Information

Size:

50ug

Reactivity:

Human, Mouse, Rat

Source:

Rabbit

Isotype:

IgG

Applications:

ELISA, WB, IHC, IF

Recommended dilutions:

ELISA:1:2000-1:10000, WB:1:500-1:5000,
IHC:1:20-1:200, IF:1:50-1:200

Protein Background:

Carries out a dual function: signal transduction and activation of transcription. Involved in IL12 signaling.

Gene ID:

STAT4

Uniprot

Q14765

Synonyms:

Signal transducer and activator of transcription 4, STAT4


Immunogen:

Recombinant Human Signal transducer and activator of transcription 4 protein (569-748AA).


Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4


Product Images



Western Blot. Positive WB detected in: HepG2 whole cell lysate, HeLa whole cell lysate, PC-3 whole cell lysate, K562 whole cell lysate, Mouse brain tissue, Rat liver tissue. All lanes: STAT4 antibody at 1µg/ml. Secondary. Goat polyclonal to rabbit IgG at 1/50000 dilution. Predicted band size: 86 kDa. Observed band size: 86 kDa.



Immunohistochemistry of paraffin-embedded human small intestine tissue using PACO51982 at dilution of 1:100.



Immunohistochemistry of paraffin-embedded human liver cancer using PACO51982 at dilution of 1:100.