## PIK3C3 Antibody, Biotin conjugated



## PACO52701

Reactivity:

Human

Source:

## **Product Information**

Size: **Protein Background:** 

50ug Catalytic subunit of the PI3K complex that mediates formation of phosphatidylinositol 3-phosphate; different complex forms are believed to play a role in multiple membrane

trafficking pathways: PI3KC3-C1 is involved in initiation of autophagosomes and

PI3KC3-C2 in maturation of autophagosomes and endocytosis. Involved in regulation

of degradative endocytic trafficking and required for the abcission step in cytokinesis, probably in the context of PI3KC3-C2. Involved in the transport of lysosomal enzyme

precursors to lysosomes. Required for transport from early to late endosomes. Rabbit

Gene ID: Isotype:

PIK3C3 lgG

Uniprot **Applications:** 

Q8NEB9 **ELISA** 

Synonyms: **Recommended dilutions:** 

Phosphatidylinositol 3-kinase catalytic subunit type 3 (PI3-kinase type 3) (PI3K type 3) (PtdIns-3-kinase type 3) (EC 2.7.1.137) (Phosphatidylinositol 3-kinase p100 subunit)

(Phosphoinositide-3-kinase class 3) (hVps34), PIK3C3, VPS34

Immunogen:

Recombinant Human Phosphatidylinositol 3-kinase catalytic subunit type 3 protein (700-850AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Product	<b>Images</b>
---------	---------------

N/A N/A