ABCC2 Antibody



PACO54546

Product Information

Size: **Protein Background:**

50ug Mediates hepatobiliary excretion of numerous organic anions. May function as a

cellular cisplatin transporter. Reactivity:

Gene ID:

Human ABCC2

Source:

Uniprot Rabbit

Q92887 Isotype:

Synonyms: lgG

Canalicular multispecific organic anion transporter 1 (ATP-binding cassette sub-family C **Applications:** member 2) (Canalicular multidrug resistance protein) (Multidrug resistance-associated

protein 2), ABCC2, CMOAT CMOAT1 CMRP MRP2 ELISA, IHC, IF

Immunogen: **Recommended dilutions:**


Recombinant Human Canalicular multispecific organic anion transporter 1 protein (724-ELISA:1:2000-1:10000, IHC:1:20-1:200, 947AA).

IF:1:50-1:200


Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Product Images



Immunofluorescent analysis of A549 cells using PACO54546 at dilution of 1:100 and Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L).



IHC image of PACO54546 diluted at 1:100 and staining in paraffinembedded human small intestine tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.