
Formyl-HIST1H1C (K84) Antibody

PACO57624



Product Information	
Size:	Protein Background:
50ul	Histone H1 protein binds to linker DNA between nucleosomes forming the
Reactivity:	macromolecular structure known as the chromatin fiber. Histones H1 are necessary for the condensation of nucleosome chains into higher-order structured fibers. Acts also as
Human	a regulator of individual gene transcription through chromatin remodeling, nucleosome spacing and DNA methylation. Gene ID: HIST1H1C
Source:	
Rabbit	
lsotype:	Uniprot
lgG	P16403
Applications:	Synonyms:
ELISA, IF	Histone H1.2 (Histone H1c) (Histone H1d) (Histone H1s-1), HIST1H1C, H1F2
Recommended dilutions:	Immunogen:
ELISA:1:2000-1:10000, IF:1:1-1:10	Peptide sequence around site of Formyl-Lys (84) derived from Human Histone H1.2.
	Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4



Immunofluorescence staining of Hela cells with PACO57624 at 1:5, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4°C. The secondary antibody was Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit lgG(H+L).