

RASSF3 Antibody

PACO59201



| Product Information | |
|---|--|
| Size: | Protein Background: |
| 50ug | cytosol, plasma membrane, identical protein binding. |
| Reactivity: | Gene ID: |
| Human | RASSF3 |
| Source: | Uniprot |
| Rabbit | Q86WH2 |
| lsotype: | Synonyms: |
| lgG | Ras association domain-containing protein 3, RASSF3 |
| Applications: | Immunogen: |
| ELISA, IHC, IF | Recombinant Human Ras association domain-containing protein 3 protein (2-109AA). |
| Recommended dilutions: | Storage: |
| ELISA:1:2000-1:10000, IHC:1:200-1:500, IF:1:50-1:200 | Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4 |





IHC image of PACO59201 diluted at 1:300 and staining in paraffinembedded human adrenal gland tissue performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.

Immunofluorescence staining of A549 cells with PACO59201 at 1:100, counter-stained with DAPI. The cells were fixed in 4% formaldehyde, permeabilized using 0.2% Triton X-100 and blocked in 10% normal Goat Serum. The cells were then incubated with the antibody overnight at 4°C. The secondary antibody was Alexa Fluor 488-congugated AffiniPure Goat Anti-Rabbit IgG(H+L).