ORM1 Antibody



PACO62955

Reactivity:

Human

Product Information

Size: Protein Background:

50ul Functions as transport protein in the blood stream. Binds various ligands in the interior

of its beta-barrel domain. Also binds synthetic drugs and influences their distribution and availability in the body. Appears to function in modulating the activity of the

immune system during the acute-phase reaction.

Source: Gene ID:

Rabbit ORM1

Isotype: Uniprot

IgG P02763

Applications: Synonyms:

ELISA, IHC Alpha-1-acid, glycoprotein 1 (AGP 1) (Orosomucoid-1) (OMD 1), ORM1, AGP1


Recommended dilutions: Immunogen:

ELISA:1:2000-1:10000, IHC:1:200-1:500 Recombinant Human Alpha-1-acid, glycoprotein 1 protein (19-201AA).

Storage:

Preservative: 0.03% Proclin 300. Constituents: 50% Glycerol, 0.01M PBS, pH 7.4

Product Images



IHC image of PACO62955 diluted at 1:320 and staining in paraffinembedded human lung cancer performed on a Leica BondTM system. After dewaxing and hydration, antigen retrieval was mediated by high pressure in a citrate buffer (pH 6.0). Section was blocked with 10% normal goat serum 30min at RT. Then primary antibody (1% BSA) was incubated at 4°C overnight. The primary is detected by a biotinylated secondary antibody and visualized using an HRP conjugated SP system.