Cat# BN00427, Cathepsin B Inhibitor Screening Kit (Fluorometric)

SECTION 1: PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: Cathepsin B Inhibitor Screening Kit (Fluorometric)

PRODUCT CODES: Cat. # BN00427

MANUFACTURER: Assay Genie (brand of Reagent Genie Ltd.)

ADDRESS: G1 The Steelworks, Foley Street, Dublin 1

EMERGENCY PHONE: +353 1 8879802

SECTION 2: HAZARDS IDENTIFICATION

Component	Description	Volume	Safety Information
CTSB Reaction Buffer	Proprietary Buffer	15 ml	No hazards
CTSB Reagent	Proprietary Reagent(contains DTT)	100 μΙ	See below
Cathepsin B (human)	Lyophilized	1 vial	No hazards
CTSB Substrate, Ac-RR-AFC	In DMSO	0.2 ml	See below
CTSB Inhibitor, F-F-FMK	In DMSO	20 μΙ	See below

DTT:

Emergency Overview

OSHA Hazards: Target organ effect, Harmful by ingestion, Irritant

Target Organs: Central nervous system

Acute toxicity, Oral (Category 4) **GHS Classification:**

Skin irritation (Category 2) Eye irritation (Category 2A)

GHS Label elements, including precautionary statements

Pictogram:

Signal word: Warning

Hazard statement(s): H302: Harmful if swallowed

H315: Causes skin irritation

H319: Causes serious eye irritation H335: May cause respiratory irritation

Precautionary statement(s): P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. Continue rinsing.

HMIS Classification Health hazard: 2

Chronic Health Hazard: *

Flammability: 0 Physical hazards: 0 **NFPA Rating** Health hazard: 2

Fire: 0

Reactivity Hazard: 0 **Potential Health Effects**

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation. Skin: May be harmful if absorbed through skin. Causes skin irritation.

Eyes: Causes eye irritation. Ingestion: Harmful if swallowed.

DMSO:

Emergency Overview

OSHA Hazards: Combustible liquid, Target organ effect

Target Organs: Eyes, Skin

GHS Classification: Flammable liquids (Category 4) GHS Label elements, including precautionary statements

Pictogram: none Signal word: Warning

Cat# BN00427, Cathepsin B Inhibitor Screening Kit (Fluorometric)

Hazard statement(s): H227 Combustible liquid

Precautionary statement(s): none

HMIS Classification Health hazard: 0 Chronic Health Hazard: *

Flammability: 2 Physical hazards: 0 NFPA Rating Health hazard: 0 Fire: 2 Reactivity Hazard: 0 Potential Health Effects

Inhalation: May be harmful if inhaled. May cause respiratory tract irritation. Skin: May be harmful if absorbed through skin. May cause skin irritation.

Eyes: May cause eye irritation.

Ingestion: May be harmful if swallowed.

Aggravated Medical Condition: Avoid contact w/DMSO solutions containing toxic materials or materials with unknown toxicological properties. DMSO is readily absorbed through skin and may carry such materials into the body.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS Number	EC-No.	Molecular Weight	Chemical Formula
DTT	3483-12-3	222-468-7	154.25	$C_4H_{10}O_2S_2$
DMSO	67-68-5	200-664-3	78.13	C ₂ H ₆ OS

SECTION 4: FIRST AID MEASURES

General advice: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact: Wash off with soap and plenty of water. Consult a physician.

In case of eye contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed: DO NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5: FIRE-FIGHTING MEASURES

DMSO:

Suitable extinguishing media: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible. Use very large quantities (flooding) of water applied as a mist or spray; solid streams of water may be ineffective. Cool all affected containers with flooding quantities of water.

Special protective equipment for firefighters: Wear self-contained breathing apparatus for firefighting if necessary. Hazardous combustion products: Hazardous decomposition products formed under fire conditions –see section 10.

Further information: Use water spray to cool unopened containers.

SECTION 6: ACCIDENTAL RELEASE MEASURES

Personal precautions: Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas.

Environmental precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Methods for cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7: HANDLING AND STORAGE

Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Flash back possible over considerable distance. Container explosion may occur under fire conditions. Use explosion-proof equipment. Keep away from sources of ignition – no smoking. Take measures to prevent the build up of electrostatic charge.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place.

Recommended storage temperature: -20 °C.

Cat# BN00427, Cathepsin B Inhibitor Screening Kit (Fluorometric)

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

DMSO:

Components	CAS-No.	Value	Control parameters	Basis
Dimethyl sulfoxide	67-68-5	TWA	250 ppm	USA. Workplace Environmental Exposure Levels (WEEL)

DTT:

Contains no substances with occupational exposure limit values.

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Face shield and safety glasses. Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

Property	DTT	DMSO	
Appearance:	White powder Clear liquid		
pH:	4-6 at 15.4 g/l	No data available	
Water Solubility:	15.4 g/l	Completely miscible	
Other Solubility:	No data available	No data available	
Boiling Point (°C):	No data available	189 °C (372 °F)	
Melting Point (°C):	41-44 °C (106-111 °F)	16-19 °C (61-66 °F)	
Flash Point (°C):	113 °C (235 °F)	87 °C (189 °F)	
Ignition Temperature (°C):	No data available	301 °C (574 °F)	
Density:	No data available	1.1 g/ml	

SECTION 10: STABILITY AND REACTIVITY

Property	DTT	DMSO
Chemical stability:	Stable under recommended storage conditions	
Conditions to avoid:	No data available Heat, Flames, Sparks	
Materials to avoid:	Bases, oxidizing agents, reducing agents, alkali metals	Acid chlorides, phosphorus halides, strong acids, strong oxidizing agents, strong reducing agents
Hazardous decomposition products:	Carbon oxides, sulfur oxides, hydrogen sulfide gas	Carbon oxides, sulfur oxides

SECTION 11: TOXICOLOGICAL INFORMATION

DTT:

Acute toxicity: LD50 Oral – rat – 400 mg/kg Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available Respiratory or skin sensitization: no data available

Germ cell mutagenicity: no data available

Carcinogenicity:

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

Cat# BN00427, Cathepsin B Inhibitor Screening Kit (Fluorometric)

No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential ACGIH:

carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

Reproductive toxicity: no data available

Teratogenicity: no data available

Specific target organ toxicity - single exposure (GHS): Inhalation - may cause respiratory irritation.

Specific target organ toxicity - repeated exposure (GHS): no data available

Potential Health Effects

Inhalation: May be harmful if inhaled. Causes respiratory tract irritation. **Skin:** May be harmful if absorbed through skin. Causes skin irritation.

Eves: Causes eve irritation. Ingestion: Harmful if swallowed.

Signs and Symptoms of Exposure: Exposure may cause central nervous system depression. To the best of our knowledge, the chemical,

physical, and toxicological properties have not been thoroughly investigated.

Synergistic effects: no data available Additional information: RTECS: not available

Acute toxicity: LD50 Oral - rat - 14,500 mg/kg LC50 Inhalation - rat - 4 h - 40250 ppm LD50 Dermal - rabbit - > 5,000 mg/kg Skin corrosion/irritation: no data available

Serious eye damage/eye irritation: no data available Respiratory/skin sensitization: no data available

Germ cell mutagenicity: Genotoxicity in vitro - mouse - lymphocyte □ Cytogenetic analysis

Genotoxicity in vitro - mouse – lymphocyte ☐ Mutation in mammalian somatic cells.

Genotoxicity in vivo - rat - Intraperitoneal ☐ Cytogenetic analysis Genotoxicity in vivo - mouse - Intraperitoneal □ DNA damage

Carcinogenicity: Carcinogenicity - rat - Oral ☐ Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Skin & Appendages: Other:

Tumors

Carcinogenicity - mouse - Oral Tumorigenic: Equivocal tumorigenic agent by RTECS criteria. Leukaemia Skin & Appendages: Other:

Tumors.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or

confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated

carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential

carcinogen by OSHA.

Reproductive toxicity: Reproductive toxicity - rat - Intraperitoneal ☐ Effects on Fertility: Abortion.

Reproductive toxicity - rat - Intraperitoneal Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants).

Reproductive toxicity - rat - Subcutaneous Effects on Fertility: Post-implantation mortality (e.g., dead and/or resorbed implants per total number of implants). Effects on Fertility: Litter size (e.g.; # fetuses per litter; measured before birth).

Reproductive toxicity -mouse - Oral Effects on Fertility: Pre-implantation mortality (e.g., reduction in number of implants per female; total number of implants per corpora lutea). Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

Teratogenicity: Developmental Toxicity - mouse - Intraperitoneal ☐ Effects on Embryo or Fetus: Fetotoxicity (except death, e.g., stunted fetus). Specific Developmental Abnormalities: Musculoskeletal system.

Signs and Symptoms of Exposure: Exposure via ingestion may cause nausea, fatigue, headache.

Additional Information: RTECS: PV6210000

SECTION 12: ECOLOGICAL INFORMATION

DTT:

Persistence and degradability: no data available

Toxicity: Toxicity to daphnia and other aquatic invertebrates: LC50 – Daphnia magna (Water flea) – 27 mg/l – 48 h

Bioaccumulative potential: no data available Mobility in soil: no data available PBT and vPvB assessment: no data available Other adverse effects: no data available

DMSO:

Persistence and degradability: no data available

Cat# BN00427, Cathepsin B Inhibitor Screening Kit (Fluorometric)

Toxicity: Toxicity to fish: LC50 - Pimephales promelas (fathead minnow) - 34,000 mg/l - 96 h

LC50 - Oncorhynchus mykiss (rainbow trout) - 35,000 mg/l - 96 h

Toxicity to daphnia and other aquatic invertebrates: EC50 - Daphnia pulex (Water flea) - 27,500 mg/l

Toxicity to algae: EC50 - Lepomis macrochirus (Bluegill) - >400,000 mg/l - 96 h

Bioaccumulative potential: no data available

Mobility in soil: no data available

PBT and vPvB assessment: no data available **Other adverse effects:** no data available

SECTION 13: DISPOSAL CONSIDERATIONS

Product: Observe all federal, state, and local environmental regulations.

Contaminated packaging: Dispose of as unused product.

SECTION 14: TRANSPORT INFORMATION

<u>DTTt</u>

DOT (US): Not dangerous goods. **IMDG:** Not dangerous goods. **IATA:** Not dangerous goods.

DMSO:

DOT (US): UN-Number: 1993, Class: CBL, Packing group: III; Proper shipping name: Combustible liquid, n.o.s. (Dimethyl sulfoxide); Marine

pollutant: No; Poison Inhalation Hazard: No

IMDG: Not dangerous goods. **IATA:** Not dangerous goods.

SECTION 15: REGULATORY INFORMATION

OSHA Hazards: DTT: Target organ effect, Harmful by ingestion, Irritant

DMSO: Combustible liquid, Target organ effect

SARA 302 Components: SARA 302: No chemical in this material are subject to the reporting requirements of SARA Title III, Section 302. SARA 313 Components: SARA 313: This material does not contain any chemical components with known CAS numbers that exceed the

threshold (De Minimis) reporting levels established by SARA Title II, Section 313. **SARA 311/312 Hazards:** <u>DTT:</u> Acute Health Hazard, Chronic Health Hazard

DMSO: Fire Hazard, Chronic Health Hazard

Massachusetts Right To Know Components: No components are subject to the Massachusetts Right to Know Act.

Pennsylvania Right To Know Components: <u>DTT</u> CAS-No. 3483-12-3 <u>Dimethyl sulfoxide</u> CAS-No. 67-68-5; Revision Date: 2007-03-01 **New Jersey Right To Know Components:** <u>DTT</u>, CAS-No. 3483-12-3 Dimethyl sulfoxide CAS-No. 67-68-5; Revision Date: 2007-03-01

California Prop. 65 Components: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

EU regulations

Component	Risk Phrases	Safety Phrases
EDTA	R36/38	S26, S36
DTT	R22, R36/37/38	S26, S36
DMSO	R10, R36/37/38	S24/25, S36/37/39, S45

SECTION 16: OTHER INFORMATION

OTHER INFORMATION:

PREPARATION INFORMATION:

DISCLAIMER:

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Assay Genie shall not be held liable for any damage resulting from handling or from contact with the above product. See reverse side of invoice or packing slip for additional terms and conditions of sale.